



FOLLOW-UP SERVICE PROCEDURE
(TYPE L)

CORD SETS AND POWER-SUPPLY CORDS
(ELBZ,ELBZ7)

Manufacturer: SEE ADDENDUM FOR MANUFACTURER LOCATIONS

771943 (Party Site)
Applicant: DONGGUAN E-JUN WIRE CO LTD (CHINA)
(100607-694) 3F 37 Longyaner Rd
Longyan Community
Humen Town
Dongguan
Guangdong 523300 CHINA

771943 (Party Site)
Listee: SAME AS APPLICANT
(100607-694)

This Follow-Up Service Procedure authorizes the above Manufacturer(s) to use the marking specified by UL LLC, or any authorized licensee of UL LLC, including the UL Contracting Party, only on products when constructed, tested and found to be in compliance with the requirements of this Follow-Up Service Procedure and in accordance with the terms of the applicable service agreement with UL Contracting Party. The UL Contracting Party for Follow-Up Services is listed on addendum to this Follow-Up Service Procedure ("UL Contracting Party"). UL Contracting Party and UL LLC are referred to jointly herein as "UL."

UL further defines responsibilities, duties and requirements for both Manufacturers and UL representatives in the document titled, "UL Mark Surveillance Requirements" that can be located at the following web-site: <http://www.ul.com/fus>. Manufacturers without Internet access may obtain the current version of this document from their local UL customer service representative or UL field representative. For assistance, or to obtain a paper copy of this document or the Follow-Up Service Terms referenced below, please contact UL's Customer Service at <http://www.ul.com/aboutul/locations/>, select a location and enter your request, or call the number listed for that location.

The Applicant, the specified Manufacturer(s) and any Listee/Classified Co. in this Follow-Up Service Procedure must agree to receive Follow-Up Services from UL Contracting Party. If your applicable service agreement is a Global Services Agreement ("GSA"), the Applicant, the specified Manufacturer(s) and any Listee/Classified Co. will be bound to a Service Agreement for Follow-Up Services upon the earliest by any Subscriber of use of the prescribed UL Mark, acceptance of the factory inspection, or payment of the Follow-Up Service fees which will incorporate such GSA, this Follow-Up Service Procedure and the Follow-Up Service Terms which can be accessed by clicking here: <http://services.ul.com/fus-service-terms>. In all other events, Follow-Up Services will be governed by and incorporate the terms of your applicable service agreement and this Follow-Up Service Procedure.

It is the responsibility of the Listee/Classified Co. to make sure that only the products meeting the aforementioned requirements bear the authorized Marks of UL LLC, or any authorized licensee of UL LLC.

This Follow-Up Service Procedure contains information for the use of the above Manufacturer(s) and representatives of UL and is not to be used for any other purpose. It is provided to the Manufacturer with the understanding that it will be returned upon request and is not to be copied in whole or in part.

This Follow-Up Service Procedure, and any subsequent revisions, is the property of UL and is not transferable. This Follow-Up Service Procedure contains confidential information for use only by the above named Manufacturer(s) and representatives of UL and is not to be used for any other purpose. It is provided to the Subscribers with the understanding that it is not to be copied, either wholly or in part unless specifically allowed, and that it will be returned to UL, upon request.

Capitalized terms used but not defined herein have the meanings set forth in the GSA and the applicable Service Terms or any other applicable UL service agreement.

UL shall not incur any obligation or liability for any loss, expense or damages, including incidental, consequential or punitive damages arising out of or in connection with the use or reliance upon this Follow-Up Service Procedure to anyone other than the above Manufacturer(s) as provided in the agreement between UL LLC or an authorized licensee of UL LLC, including UL Contracting Party, and the Manufacturer(s).

UL LLC has signed below solely in its capacity as the accredited entity to indicate that this Follow-Up Service Procedure is in compliance with the accreditation requirements.

Bruce A. Mahrenholz
Director
Conformity Assessment Programs (CPO)
UL LLC

LOCATION

(100607-694) 771943 (Party Site)
DONGGUAN E-JUN WIRE CO LTD (CHINA)
3F 37 Longyaner Rd
Longyan Community
Humen Town
Dongguan
Guangdong 523300 CHINA
Factory ID: None
UL Contracting Party for above site is: UL GmbH

ELBZ7.E365821 - Cord Sets and Power-supply Cords Certified for Canada

Cord Sets and Power-supply Cords Certified for Canada

See General Information for Cord Sets and Power-supply Cords Certified for Canada

DONGGUAN E-JUN WIRE CO LTD (CHINA)

E365821

3F 37 Longyaner Rd
Longyan Community
Humen Town
Dongguan, Guangdong 523300 CHINA

Power-supply cords

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
EJ-301	1-15P	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, SVT, SJT, SJTW, SJTOW, SJ, SJO, SJOW, HPN	10/125
		16/2	SPT-2, HPN	13/125
EJ-302	5-15P	18/3	SPT-2, SVT, SVT(Shielded),, SJT,, SJT(Shielded), SJTW, SJTW(Shielded), HPN, SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	10/125
		17/3	SVT, SVT(Shielded)	12/125
		16/3	SPT-2, SVT, SVT(Shielded), SJT, SJT(Shielded), SJTW, SJTW(Shielded), HPN, SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	13/125
		14/3	SJT, SJT(Shielded), SJTW, SJTW(Shielded), SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	15/125
		12/3	SJT, SJT(Shielded), SJTW, SJTW(Shielded), SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	15/125
		10/3	SJT, SJT(Shielded), SJTW, SJTW(Shielded), SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	15/125
EJ-6005	5-15P	18/3	SPT-2, SVT, SJT, SJTW, HPN	10/125
		17/3	SVT	12/125
		16/3	SPT-2, SJT, SJTW, HPN	13/125
		14/3	SJT, SJTW	15/125
EJ-308	1-15P	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, SVT, SVTO, SJT, SJTW, SJTO, SJTOW	10/125
		17/2	SVT, SVTO	12/125
		16/2	SPT-2, SPT-2W, NISPT-2, SVT, SVTO, SJT, SJTW, SJTO, SJTOW	13/125

EJ-201	5-15P	18/3	SPT-1, SPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	10/125
		16/3	SPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	13/125
		14/3	SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	15/125
EJ-520	5-20P	18/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	10/125
		16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	18/125
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/125
EJ-615	6-15P	18/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	10/250
		16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	15/250
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/250
EJ-620	6-20P	18/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	10/250
		16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	18/250
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/250
EJ-309	1-15P	18/2	SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, SVT, SJT, SJTW, SJTOW	10/125
		16/2	SPT-2, SPT-2W, SVT, SJT, SJTW, SJTOW	13/125

Special-use cord sets

Cat. No.	IEC 320 Config	Cord AWG	Cord Type	Electrical Rating Amps V
EJ-303	C13	18/3	SPT-2, SVT, SJT	10/125/250
		17/3	SVT	10/125/250
		16/3	SPT-2, SJT	13/125/250
		14/3	SJT	15/125/250
EJ-300	C7	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, HPN	7/125, 2.5/250

EJ-305	C5	18/3	SPT-2, HPN, SVT, SJT, SJTW	7/125, 2.5/250
		17/3	SVT	7/125, 2.5/250
EJ-303L	C13	18/3	SPT-2, SVT, SVT (Shielded), SVTO, SJT, SJT (Shielded), SJTW, SJTOW	10/125/250
		17/3	SVT, SVT (Shielded), SVTO	10/125/250
		16/3	SPT-2, SVT, SVT (Shielded), SVTO, SJT, SJT (Shielded), SJTW, SJTOW	13/125/250
		14/3	SJT, SJT (Shielded), SJTW, SJTOW	15/125/250
EJ-306	SHEET E	18/3	SVT, SJT, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW	10/125/250
		17/3	SVT	10/125/250
		16/3	SJT, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW	13/125/250
		14/3	SJT, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW	15/125/250
EJ-307	C7	18/2	SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, NISPT-2, HPN	7/125, 2.5/250
		16/2	SPT-2, SPT-2W, NISPT-2, HPN	7/125, 2.5/250
EJ-310	C7	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, HPN	7/125, 2.5/250
EJ-311	C15	18/3	SV, SJ, SJOW, SJOOW, SVT, SVT-B, SJT, SJT-B, SJTW, SJTW-B, SJTOW, SJTOOW	10/125/250
		16/3	SJ, SJOW, SJOOW, SJT, SJT-B, SJTW, SJTW-B, SJTOW, SJTOOW	13/125/250
		14/3	SJ, SJOW, SJOOW, SJT, SJT-B, SJTW, SJTW-B, SJTOW, SJTOOW	15/125/250
EJ-304	SHEET C	18/2	SVT, SVTO, SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, NISPT-2	7/125, 2.5/250
		16/2	SVT, SVTO, SPT-2, SPT-2W	7/125, 2.5/250
EJ-313	C13	18/3	SVT, SVTO, SJT, SJTO, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	10/125/250
		16/3	SVT, SVTO, SJT, SJTO, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	13/125/250
		14/3	SJT, SJTO, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	15/125/250
QZ-01	C13	18/3	SVT, SVTO, SJT, SJTO, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	10/125/250
		16/3	SVT, SVTO, SJT, SJTO, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	13/125/250
		14/3	SJT, SJTO, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	15/125/250

General-use extension cord set

Cat. No.	ANSI/NEMA Config	Cord AWG	Cord Type	Electrical Rating Amps V
EJ-302S	5-15R	16/3	SJT, SJTW, ST, STW, STOW, STOOW	13/125

		14/3	SJT, SJTW, ST, STW, STOW, STOOW	15/125
EJ-15R	1-15R	16/2	SPT-2, SPT-2W, NISPT-2, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
EJ-520R	5-20R	16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	18/125
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/125

Last Updated on 2020-06-01

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"